

Market Analysis
Program (MAP)

**Industry Sector/
Cross-Industry
Markets
1988-1993**

**Appendix A:
Definitions**

INPUT®

1280 Villa Street, Mountain View, CA 94041 (415) 961-3300



DECEMBER 1988

INDUSTRY SECTOR/CROSS-
INDUSTRY MARKETS
1988-1993

APPENDIX A: DEFINITIONS

1. The first step in the process of creating a new product is to identify a market need. This involves conducting market research to determine what consumers want and need. Once a need is identified, the next step is to develop a concept for a product that meets that need.

2. The second step is to develop a business plan for the new product. This includes determining the costs of production, the pricing strategy, and the marketing strategy. The business plan also outlines the timeline for development and launch.

3. The third step is to create a prototype of the product. This allows the company to test the product and make any necessary adjustments before full-scale production. The prototype is typically made using 3D printing or other rapid prototyping techniques.

4. The fourth step is to conduct a pilot production run. This allows the company to test the production process and make any necessary adjustments before full-scale production. The pilot run is typically limited to a small number of units.

5. The fifth step is to launch the product. This involves marketing the product to consumers and making any necessary adjustments to the marketing strategy. The company should continue to monitor sales and customer feedback to ensure the product is successful.

6. The sixth step is to evaluate the product's performance. This involves analyzing sales data, customer feedback, and other metrics to determine if the product is meeting its goals. If the product is not performing well, the company may need to make adjustments to the product or the marketing strategy.

7. The seventh step is to plan for the future. This involves identifying opportunities for growth and expansion, such as developing new products or entering new markets. The company should also consider ways to improve the product and the production process.

8. The eighth step is to implement the plan. This involves putting the plan into action and making any necessary adjustments. The company should continue to monitor the product's performance and make adjustments as needed.

9. The ninth step is to evaluate the results. This involves analyzing the data and determining if the product is meeting its goals. If the product is not performing well, the company may need to make adjustments to the product or the marketing strategy.

10. The tenth step is to plan for the future. This involves identifying opportunities for growth and expansion, such as developing new products or entering new markets. The company should also consider ways to improve the product and the production process.

Published by
INPUT
1280 Villa Street
Mountain View, CA 94041-1194
U.S.A.

**Market Analysis Program
(MAPS)**

***Industry Sector/Cross-Industry Markets,
1988-1993***

Appendix A: Definitions

Copyright ©1988 by INPUT. All rights reserved.

Printed in the United States of America.

No part of this publication may be reproduced or distributed in any form or by any means, or stored in a data base or retrieval system, without the prior written permission of the publisher.

Table of Contents

A. User Expenditures	V-A-1
B. Delivery Modes	V-A-2
1. Processing Services	V-A-2
2. Network Services	V-A-3
a. Network Applications	V-A-3
b. Electronic Information Services	V-A-4
3. Software Products	V-A-4
a. Applications Software Products	V-A-4
b. Systems Software Products	V-A-5
4. Turnkey Systems	V-A-5
5. Systems Integration (SI)	V-A-6
6. Professional Services	V-A-6
C. Equipment/Computer Systems	V-A-6
1. Equipment	V-A-6
2. Computer Systems	V-A-7
D. Telecommunications	V-A-9
1. Networks	V-A-9
2. Transmission Facilities	V-A-10
E. Other Considerations	V-A-11

Exhibits

A**-1** Industry Sector Definitions

V-A-12



Appendix: Definitions

Appendix A contains the definitions used by INPUT to describe the Information Services Industry.

Appendix B contains the complete user expenditure forecast and data base for 1987-1993.

Information Services - Computer-related services involving one or more of the following:

- Processing of computer-based applications using vendor computers (called "processing services")
- Network-oriented services or functions such as value-added networks, electronic mail, electronic document interchange, on-line data bases, news data bases, videotex
- Products and services that assist users in performing functions on their own computers or vendor computers (called "software products" or "professional services")
- Services that utilize a combination of hardware and software, integrated into a total system (called "turnkey systems" and/or "systems integration")

A

User Expenditures

All user expenditures reported are "available" (i.e., noncaptive, as defined below).

Noncaptive Information Services User Expenditures - Expenditures paid for information services provided by a vendor that is not part of the same parent corporation as the user

the 1990s, the number of people in the world who are undernourished has increased from 250 million to 800 million (FAO 1996). The number of people who are malnourished has increased from 1.2 billion to 1.6 billion (FAO 1996).

There is a growing awareness of the need to improve the nutritional status of the world's population. The United Nations World Food Programme (WFP) has been instrumental in this regard, and has been instrumental in the development of the World Food Summit (WFS) in 1996. The WFS was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

The WFS was held in Rome, Italy, and it was attended by 118 heads of state or government. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security. The summit was a landmark event in the history of international food security, and it was the first time that world leaders had gathered to discuss the issue of food security.

Captive Information Services User Expenditures—Expenditures received from users who are part of the same parent corporation as the vendor.

B**Delivery Modes**

1. Processing Services

This category includes transaction processing, utility processing, other processing services, and systems operations.

- *Transaction Processing Services* - Updates client-owned data files by entry of specific business activity, such as sales order, inventory receipt, cash disbursement, etc. Transactions may be entered in one of three modes.
 - *Interactive* - Characterized by the interaction of the user with the system, primarily for problem-solving timesharing, but also for data entry and transaction processing; the user is on-line to the program/files. Computer response is usually measured in seconds or fractions of a second.
 - *Remote Batch* - Where the user hands over control of a job to the vendor's computer, which schedules job execution according to priorities and resource requirements. Computer response is measured in minutes or hours.
 - *User Site Hardware Services (USHS)* - Those offerings provided by processing services vendors that place programmable hardware at the user's site rather than at the vendor's data center. Some vendors in the federal government market provide this service under the label of distributed data services. USHS offers:
 - Access to a communications network
 - Access through the network to the RCS vendor's larger computers
 - Local management and storage of a data base subset that will service local terminal users via the connection of a data base processor to the network.
 - Significant software as part of the service
 - *Carry-in Batch* - Where users deliver work to a processing services vendor
- *Utility Processing* - Vendor provides access to basic software tools, enabling the users to develop their own problem solutions such as language compilers assemblers, DBMS, sorts scientific library routines, and other systems software.

- *"Other" Processing Services* - Include computer output microfilm, other data output services, data entry services, disaster recovery and backup services.
- *Systems Operations (Processing)* - Also referred to as "resource management," facilities management, or "COCO" (contractor-owned, contractor-operated). Systems control is the management of all or part of a user's data processing functions under a long-term contract of not less than one year. This would include remote computing and batch services. To qualify, the contractor must directly plan, control, operate, and own the facility provided to the user—either onsite, through communications lines, or in a mixed mode.

Processing services are further differentiated as follows:

- *Cross-industry* services involve the processing of applications that are targeted to specific user departments (e.g., finance, personnel, sales) but that cut across industry lines. Most general-ledger, accounts receivable, payroll, and personnel applications fall into this category. General-purpose tools such as financial planning systems, linear regression packages, and other statistical routines are also included. However, when the application, tool, or data base is designed for specific industry use, then the service is industry-specific (see below).
- *Industry-specific* services provide processing for particular functions or problems unique to an industry or industry group. Specialty applications can be either business or scientific in orientation. Examples of industry-specialty applications are seismic data processing, numerically controlled machine tool software development, and demand deposit accounting.

2. Network Services

Network services include a wide variety of network-based functions and operations. Their common thread is that none of these functions could be performed without network involvement. Network services is divided into two major segments: network applications and electronic information systems.

a. Network Applications

The network applications segment is composed of three subsets:

- *Value-Added Networks (VANs)* - VANs typically involve common carrier network transmission facilities that are augmented with computerized switched. These networks have become associated with packet-switching technology because the public VANs that have received the most attention (e.g., Telenet and TYMNET) employ packet-switching

techniques. However, other added data service features, such as store-and-forward message switching, terminal interfacing, error detection and correction, and host computer interfacing, are of equal importance.

- *Electronic Data Interchange (EDI)* - EDI is the application-to-application electronic communications between organizations, based on established business document standards.
- *Electronic Mail (E-Mail)* - Transmission of messages across an electronic mail network managed by a services vendor.

b. Electronic Information Services

Electronic information services are data bases that provide specific terminal-based inquiry such as stock prices, legal precedents, economic indicators, medical diagnosis, airline schedules, current news stories, automobile valuations, etc. Users typically inquire into and extract information from these data bases but do not update them.

3. Software Products

This category includes user purchases of applications and systems software packages for in-house computer systems. Included are lease and purchase expenditures, as well as expenditures for work performed by the vendor to implement or maintain the package at the user's sites.

Expenditures for work performed by organizations other than the package vendor are counted in the category of professional services. Fees for work related to education, consulting, and/or custom modification of software products are counted as professional services, provided such fees are charged separately from the price of the software product itself.

There are several subcategories of software products, as indicated below.

a. Applications Software Products

Applications software products perform functions directly related to solving user's business or organizational need. The products can be:

- *Cross-Industry Products* - Used in multiple-industry applications as well as the federal government sector. Examples are payroll, inventory control, and financial planning.
- *Industry-Specific Products* - Used only in a specific industry sector, such as banking and finance, transportation, or discrete manufacturing. Examples are demand deposit accounting, airline scheduling, material resource planning, and insurance claim management.

Table 1. The mean (SD) age, height, weight, and body mass index (BMI) of the 100 children in the study

Measure	Mean (SD)
Age (years)	10.2 (0.5)
Height (cm)	145.2 (10.1)
Weight (kg)	38.5 (10.2)
BMI (kg m ⁻²)	18.6 (3.2)

children were asked to perform a series of 10 trials of the task, with the first trial being a practice trial.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

The children were then asked to perform the task again, this time with the feedback provided by the computer. The children were then asked to perform the task again, this time with the feedback provided by the computer.

b. Systems Software Products


Systems software products enable the computer/communications system to perform basic machine-oriented or user interface functions. These products include:

- *System Control Products* - Function during applications program execution to manage the computer system's resources. Examples include operating systems, communication monitors, emulators, spoolers, network control, library control, windowing, access control.
- *Data Center Management Products* - Used by operations personnel to manage the computer system's resources and personnel more effectively. Examples include performance measurement, job accounting, computer operations scheduling, utilities, capacity management.
- *Applications Development Products* - Used to prepare applications for execution by assisting in designing, programming, testing, and related functions. Examples include traditional programming languages, 4GLs, sorts, productivity aids, assemblers, compilers, data dictionaries, data base management systems, report writers, project control and CASE systems.

4. Turnkey Systems

A turnkey system is an integration of systems and applications software with CPU hardware and peripherals, packaged as a single application (or set of applications) solution. The value added by the vendor is primarily in the software and support. Most CAD/CAM systems and many small-business systems are turnkey systems. This does not include specialized hardware systems such as word processors, cash registers, or process control systems, nor does it include Embedded Computer Resources for military applications. Turnkey systems may be either custom or packaged systems.

- Hardware vendors that combine software with their own general-purpose hardware are not classified by INPUT as turnkey vendors. Their software revenues are included the appropriate software category.
- Turnkey systems revenue is divided into two categories.
 - *Industry-Specific Systems* - Systems that serve a specific function for a given industry sector, such as automobile dealer parts inventory, medical recordkeeping, or discrete manufacturing control systems
 - *Cross-Industry Systems* - Systems that provide a specific function that is applicable to a wide range of industry sectors, such as financial planning systems, payroll systems, or personnel management systems



- Revenue includes hardware, software, and support functions.

5. Systems Integration (SI)

Systems integration (SI) is the delivery of complex, multidisciplinary multivendor systems, incorporating some or all of these products or services: systems design, programming, integration, equipment, communication networks, installation, education and training, SI-related professional services, and system acceptance. Systems integration contracts typically include custom software, take more than a year to complete, and involve a prime contractor assuming full risk and accepting full responsibility.

6. Professional Services

This category includes consulting, education and training, software development, and systems operations as defined below.

- *Software Development* - Development of a software system on a custom basis. It includes one or more of the following: user requirements definition, system design, contract programming, documentation.
- *Education and Training* - Products and/or services related to information systems and services for the user, including computer-aided instruction (CAI), computer-based education (CBE), and vendor instruction of user personnel in operations, programming, and maintenance.
- *Consulting Services* - Information systems and/or services management consulting, project assistance (technical and/or management), feasibility analyses, and cost-effectiveness trade-off studies.
- *Systems Operations (Professional Services)* - This is a counterpart to systems operations (processing services) except the computing equipment is owned or leased by the client, not by the vendor. The vendor provides the staff to operate, maintain, and manage the client's facility.

C

Equipment/Computer Systems

1. Equipment

Equipment includes all computer and telecommunications equipment that can be separately acquired with or without installation by the vendor and not acquired as part of an integrated system.

- *Peripherals* - Includes all input, output, communications, and storage devices (other than main memory) that can be connected locally to the main processor and generally cannot be included in other categories such as terminals




- *Input Devices* - Includes keyboards, numeric pads, card readers, light pens and track balls, tape readers, position and motion sensors, and analog-to-digital converters
- *Output Devices* - Includes printers, CRTs, projection television screens, micrographics processors, digital graphics, and plotters
- *Communication Devices* - Includes modems, encryption equipment, special interfaces, and error control
- *Storage Devices* - Includes magnetic tape (reel, cartridge, and cassette), floppy and hard disks, solid state (integrated circuits), and bubble and optical memories
- *Terminals* - Three types of terminals are described below:
 - *User-Programmable* - Also called intelligent terminals, including:
 - Single-station or standalone
 - Multistation shared processor
 - Teleprinter
 - Remote batch
 - *User Nonprogrammable*
 - Single-station
 - Multistation shared processor
 - Teleprinter
 - *Limited Function* - Originally developed for specific needs, such as point-of-sale (POS), inventory data collection, controlled access, and other applications.


2. Computer Systems

Computer systems include all processors from microcomputers to supercomputers. Computer systems may require type- or model-unique operating software to be functional, but this category excludes applications software and peripheral devices.

- *Microcomputer (Price below \$15,000)* - Combines all of the CPU, memory, and peripheral functions of an 8- or 16-bit computer on a chip in the form of:
 - Integrated circuit package
 - Plug-in board with more memory and peripheral circuits
 - Console including keyboard and interfacing connectors
 - Personal computer with at least one external storage device directly addressable by the CPU




- *Workstation (Price between \$10,000 and \$100,000)* - An integrated multifunctional workstation capable of routine higher-speed communications with mini and mainframe computers and of performing complex local processing. While similar to microcomputers, the workstation typically will have 16- or 32-bit architectures, plus greater graphics and integrated communications capabilities.
- *Minicomputer (Price between \$15,000 and \$350,000)* - Usually a 16- or 32-bit computer. May represent a portion of a larger system or a complete stand-alone system by itself.
 - Personal business computer
 - Small laboratory computer
 - Nodal computer in a distributed data network, remote data collection network, or connected network, or connected to remote microcomputers
- *Mainframe (Price above \$350,000)* - Typically a 32- or 64-bit computer with extensive applications software and a number of peripherals in standalone or multiple-CPU configurations for business (administrative, personnel, and logistics) applications; also called a general-purpose computer.
- *Supercomputer* - High-powered processors with numerical processing throughout that is significantly greater than the fastest general-purpose computers, with capacities in the vicinity of 10-50 million floating point operations per second (MFLOPS). Supercomputers fit in one of two categories:
 - *Real Time* - Generally used for signal processing in military applications.
 - *Non-Real Time* - For scientific use in one of three configurations:
 - Parallel processors
 - Pipeline processor
 - Vector processor
- *Embedded Computer* - Dedicated computer system designed and implemented as an integral part of a weapon, weapon system, or platform; critical to a military or intelligence mission such as command and control, cryptological activities, or intelligence activities. Characterized by military specifications (MIL SPEC) appearance and operation, limited but reprogrammable applications software, and permanent or semipermanent interfaces. May vary in capacity from microcomputers to parallel processor computer systems.



D**Telecommunications****1. Networks**

Networks are the electronic interconnections between sites or locations that may incorporate links between central computer sites and remote locations and switching and/or regional data processing nodes. Network services typically are provided on a leased basis by a vendor to move data, voice, video, or textual information between locations. Networks can be categorized in several different ways.

- *Common Carrier Network* - A public access network, such as provided by AT&T, consisting of conventional voice-grade circuits and regular switching facilities accessed through dial-up calling with leased or user-owned modems for transfer rates between 150 and 1200 baud
- *Value-Added Network (VAN)* - (See listing under Section B.2, Delivery Modes.)
- *Local Area Network (LAN)* - Limited-access network between computing resources in a relatively small (but not necessarily contiguous) area, such as a building, complex of buildings, or buildings distributed within a metropolitan area. Uses one of two signaling methods.
 - *Baseband* - Signaling using digital waveforms on a single frequency band, usually at voice frequencies and bandwidth, and limited to a single sender at any given moment. When used for local-area networks, typically implemented with TDM to permit multiple access.
 - *Broadband* - Transmission facilities that use frequencies greater than normal voice-grade, supported in local-area networks with RF modems and AC signaling. Also known as wideband. Employs multiplexing techniques that increase carrier frequency between terminals to provide:
 - Multiple (simultaneous) channels via FDM (Frequency Division Multiplexing)
 - Multiple (time-sequenced) channels via TDM (Time Division Multiplexing)
 - High-speed data transfer rate via parallel mode at rates of up to 96,000 baud (or higher, depending on media)



2. Transmission Facilities

Transmission facilities include wire, carrier, coaxial cable, microwave, optical fiber, satellites, cellular radio, and marine cable operating in one of two modes, depending on the vendor and the distribution of the network.

- *Mode* - may be either:
 - *Analog* - Transmission or signal with continuous-waveform representation, typified by AT&T's predominantly voice-grade DDD network and most telephone operating company distribution systems
 - *Digital* - Transmission or signal using discontinuous, discrete quantities to represent data, which may be voice, data, record, video, or text, in binary form
- *Media* - May be any of the following:
 - *Wire* - Varies from earlier single-line teletype networks, to two-wire standard telephone (twisted pair), to four-wire full-duplex balanced lines
 - *Carrier* - A wave, pulse train, or other signal suitable for modulation by an information-bearing signal to be transmitted over a communications system, used in multiplexing applications to increase network capacity
 - *Coaxial Cable* - A cable used in HF (high-frequency) and VHF (very high frequency), single-frequency, or carrier-based systems; requires frequent reamplification (repeaters) to carry the signal any distance
 - *Microwave* - UHF (ultra-high-frequency) multichannel, point-to-point, repeated radio transmission; also capable of wide frequency channels
 - *Optical Fiber* - Local signal distribution systems employed in limited areas, using light-transmitting glass fibers and TDM for multichannel applications
 - *Communications Satellites* - Synchronous earth-orbiting systems that provide point-to-point, two-way service over significant distances without intermediate amplification (repeaters), but requiring suitable groundstation facilities for up- and down-link operation
 - *Cellular Radio* - Network of fixed, low-powered two-way radios that are linked by a computer system to track mobile phone/data set units. Each radio serves a small area called a cell. The computer switches service connections to the mobile unit from cell to cell.

Table 1. Mean (SD) age, height, weight, and body mass index (BMI) of the 100 children in the study

Measure	Mean (SD)
Age (years)	10.2 (0.5)
Height (cm)	145.2 (10.1)
Weight (kg)	38.5 (10.2)
BMI (kg m ⁻²)	18.6 (3.2)

children were given a verbal explanation of the procedure and then asked to sign a written consent form. The children were then asked to sign a written assent form. The study was approved by the local research ethics committee and the children were given a verbal explanation of the procedure and then asked to sign a written consent form.

The children were then asked to sign a written assent form. The study was approved by the local research ethics committee and the children were given a verbal explanation of the procedure and then asked to sign a written consent form.

The children were then asked to sign a written assent form. The study was approved by the local research ethics committee and the children were given a verbal explanation of the procedure and then asked to sign a written consent form.

The children were then asked to sign a written assent form. The study was approved by the local research ethics committee and the children were given a verbal explanation of the procedure and then asked to sign a written consent form.

The children were then asked to sign a written assent form. The study was approved by the local research ethics committee and the children were given a verbal explanation of the procedure and then asked to sign a written consent form.

The children were then asked to sign a written assent form. The study was approved by the local research ethics committee and the children were given a verbal explanation of the procedure and then asked to sign a written consent form.

The children were then asked to sign a written assent form. The study was approved by the local research ethics committee and the children were given a verbal explanation of the procedure and then asked to sign a written consent form.

The children were then asked to sign a written assent form. The study was approved by the local research ethics committee and the children were given a verbal explanation of the procedure and then asked to sign a written consent form.

E**Other Considerations**

When questions arise about the proper place to count certain user expenditures, INPUT addresses them from the user's viewpoint. Expenditures are then categorized according to what users perceive they are buying.

The standard industrial classification (SIC) codes are used to define the economic activity contained in generic sectors such as process manufacturing, insurance, or transportation.

The specific industries (and their SIC codes) included under these generic industry sectors are detailed in the exhibit.

EXHIBIT A-1

INDUSTRY SECTOR DEFINITIONS

INDUSTRY SECTOR	INDUSTRY SIC	INDUSTRY NAME
Discrete Manufacturing	23	Apparel
	25	Furniture
	27	Printing
	31	Leather
	34	Metal
	35	Machinery
	36	Electronics
	37	Transportation
	38	Scientific and Control Instruments
	39	Miscellaneous
Process Manufacturing	10	Metal Mining
	11	Anthracite Mining
	12	Coal Mining
	13	Oil and Gas Extraction
	14	Mining/Quarrying of Non-Metallic Minerals, except Fuels
	20	Food Products
	21	Tobacco
	22	Textile Products
	24	Lumber and Wood Products
	26	Paper Products
	28	Chemicals
	29	Petroleum
	30	Rubber and Plastics
	32	Stone, Glass, Clay
	33	Primary Metals
Transportation	40	Railroads
	41	Local Transit
	42	Motor Freight
	43	U.S. Postal Service
	44	Water Transportation
	45	Air
	46	Pipelines
	47	Transportation Services

EXHIBIT A-1 (Cont.)


INDUSTRY SECTOR DEFINITIONS

INDUSTRY SECTOR	INDUSTRY SIC	INDUSTRY NAME
Utilities	49	Electric, Gas, and Sanitary
Telecommunications	48	Communications
Wholesale Distribution	50	Durable Goods
	51	Nondurable Goods
Retail Distribution	52	Building Materials, Hardware
	53	General Merchandise
	54	Food
	55	Automotive and Gas Stations
	56	Apparel
	57	Furniture
	58	Eating and Drinking
	59	Miscellaneous Retail
Banking and Finance	60	Banks
	61	Credit Agencies
	62	Security and Commodity Brokers
	67	Holding and Investment Offices
Insurance	63	Insurance (Life, Health, Etc.)
	64	Insurance Agents
Medical	80	Health Services
Education	82	Educational Services

EXHIBIT A-1 (Cont.)

INDUSTRY SECTOR DEFINITIONS

INDUSTRY SECTOR	INDUSTRY SIC	INDUSTRY NAME
Services	65	Real Estate
	67	Holding and Other Investment Offices
	72	Personal Services
	73	Business Services (Excluding Information Services Companies Themselves)
	76	Miscellaneous Repair
	81	Legal Services
	89	Miscellaneous Services
Federal Government	N/A	As Appropriate
State and Local Government	N/A	As Appropriate
Other Industries	01-09	Agriculture, Forestry, and Fishing
	15-17	Construction
	70	Hotels, Rooming Houses, Camps, and Other Lodging Places
	75	Automotive Repair, Services, and Garages
	78	Motion Pictures
	79	Amusement and Recreation Services, except Motion Pictures
	83	Social Services
	84	Museums, Art Galleries, Botanical and Zoological Gardens
	86	Membership Organizations



About INPUT

INPUT provides planning information, analysis, and recommendations to managers and executives in the information processing industries. Through market research, technology forecasting, and competitive analysis, INPUT supports client management in making informed decisions.

Continuous-information advisory services, proprietary research/consulting, merger/acquisition assistance, and multiclient studies are provided to users and vendors of information systems and services (software, processing services, turnkey systems, systems integration, professional services, communications, systems/software maintenance and support).

Many of INPUT's professional staff members have more than 20 years' experience in their areas of specialization. Most have held senior management positions in operations, marketing, or planning. This expertise enables INPUT to supply practical solutions to complex business problems.

Formed as a privately held corporation in 1974, INPUT has become a leading international research and consulting firm. Clients include more than 100 of the world's largest and most technically advanced companies.

INPUT OFFICES

North America

Headquarters

1280 Villa Street
Mountain View, CA 94041
(415) 961-3300
Telex 171407 Fax (415) 961-3966

New York

Parsippany Place Corp. Center
Suite 201
959 Route 46 East
Parsippany, NJ 07054
(201) 299-6999
Telex 134630 Fax (201) 263-8341

Washington, D.C.

8298 C, Old Courthouse Rd.
Vienna, VA 22180
(703) 847-6870 Fax (703) 847-6872

International

Europe

Piccadilly House
33/37 Regent Street
London SW1Y 4NF, England
(01) 493-9335
Telex 27113 Fax (01) 629-0179

Paris

29 rue de Leningrad
75008 Paris, France
(16) 44-80-48-43
Fax (16) 44-80-40-23

Japan

FKI, Future Knowledge Institute
Saida Building,
4-6, Kanda Sakuma-cho
Chiyoda-ku,
Tokyo 101, Japan
(03) 864-4026 Fax (03) 864-4114

